

gmi Gomaplast Machinery, Inc.

2424 Long Road, Wooster, OH 44691 • 330-263-7845
sales@gomaplast.com • www.gomaplast.com

Winter 2024



• **NEW** • **USED** • **REBUILT** •

ALL ITEMS FEATURED HERE IN STOCK!

- COMPRESSION MOLDING PRESSES
- HEATING PLATENS:
ELECTRIC, STEAM, HOT OIL
- PLATEN INSULATION
- 2-ROLL MILLS
- CALENDERS
- LABORATORY EQUIPMENT
- EXTRUDERS & PREFORMERS
- INTERNAL MIXERS & BANBURYS®
- HYDRAULIC UNITS
- PLC CONTROL PANELS
- U-CUP SEALS
- GUILLOTINE CUTTERS
- INJECTION PRESSES
- AUTOCLAVES
- WEIGHING & DOSING



Proudly Serving the North American Rubber Industry since 1991

NEW PRESSES

IN STOCK

NEW 12"x12", 30 Ton, 4-post, electric platens, double acting ram, fully guided, Allen Bradley PLC, color HMI.



1156

IN STOCK!

1

NEW 15"x15", 30 Ton, 4-post, electric platens, double acting ram, fully guided, Allen Bradley PLC, color HMI.



1157

IN STOCK!

2

NEW 18"x18", 75 Ton, 4-post, electric platens, double acting ram, fully guided, Allen Bradley PLC, color HMI.



650A

IN STOCK!

3

NEW 18"x18", 75 Ton, 4-Post, electric platens, double acting ram, fully guided, Allen Bradley PLC, front light curtain, rear & side guarding.



650B

IN STOCK!

4

NEW 18"x18", 75 Ton, 4-post, electric platens, double acting ram, Allen Bradley PLC controls. Light curtain, perimeter guarding, shuttle table.



650C

IN STOCK!

5

NEW 20"x20" Vacuum Press, 100 Ton, 8" DL, electric platens, self-contained vacuum system, light curtains, Allen Bradley PLC controls. Color HMI, etc.



1730

IN STOCK!

6

NEW 24"x24", 175 Ton, 4-post, electric platens, double acting ram, fully guided, Allen Bradley PLC, color HMI.



1751

IN STOCK!

7

NEW 24"x24", 375 Ton, 22" stroke, 20" Ø ram, 23" DL between steam platens. Optional hydraulics & PLC controls.



1775

IN STOCK!

8

NEW 24"x24", 375 Ton, 22" stroke, 20" Ø ram, 24" DL electric platens. Hydraulics, Allen Bradley PLC controls.



1776

IN STOCK!

9

NEW 30"x30", 475 Ton, 22" stroke, 22" Ø ram, electric platens, hydraulics, Allen Bradley PLC controls



1633

IN STOCK!

10

NEW 30"x30", 475 Ton, 24" stroke, 22" Ø ram, (2) 11" DLs, steam platens. Optional hydraulics & PLC controls.



1815

IN STOCK!

11

NEW 36"x36", 700 Ton, 26" Ø ram, 22" stroke, electric platens, 26" DL, hydraulics & Allen Bradley PLC controls.



1796

IN STOCK!

12

NEW 36"x36", 700 Ton, 22" stroke, 26" Ø ram, 25" DL, steam platens. Hydraulics & Allen Bradley PLC controls.



1635

IN STOCK!

13

NEW 42"x36", 900 Ton, 22" stroke, 32" Ø ram, 31" DL, electric platens. Hydraulics & Allen Bradley PLC Controls.



818

IN STOCK!

14

NEW 42"x42", 850Ton, 22" stroke, 30" Ø ram, 26.5" DL, electric platens, hydraulics & Allen Bradley PLC controls.



1797

IN STOCK!

15

NEW 48"x48", 1250 Ton, 30" stroke, 36" Ø ram, 2 x 15" DLs. Steam platens. hydraulics & Allen Bradley PLC controls.



1731

IN STOCK!

16

NEW 48"x48", 1250 Ton, 30" stroke, 36" Ø ram, 33" DL, electric platens. Hydraulics & Allen Bradley PLC Controls.



1798

IN STOCK!

17

NEW 60"x60", 1570 Ton, 40" Ø ram, 40" DL, steam platens, 30" stroke. Hydraulics & Allen Bradley PLC controls.



1638

IN STOCK!

18

NEW 64" x 64", 1700 Ton, 4 x 20" Ø rams, 40" DL, steam platens, 40" stroke. Complete w/ hydraulics & Allen Bradley PLC controls.



1644

IN STOCK!

19

NEW 66"x12", 100 Ton, 3 x 6" Ø cylinders, 12" stroke, down-acting, steam platens, 12" DL. Hydraulics & controls.



1331

IN STOCK!

20

NEW 80" x 80", 2350 Ton, 4x24" Ø rams, 52" DL, steam platens, 40" stroke. Hydraulics, Allen Bradley PLC controls.



1646

IN STOCK!

21

NEW STEAM & ELECTRIC HEATING PLATENS

IN STOCK!

- 12" x 12"
- 15" x 15"
- 18" x 18"
- 20" x 20"
- 24" x 24"
- 30" x 30"
- 32" x 32"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 60" x 60"
- 64" x 64"
- 80" x 80"

NEW STANDARD
 • HYDRAULIC UNITS
 • CONTROL PANELS
 • HEATING PLATENS
 • U-CUP SEALS
TO RETROFIT YOUR PRESS

NEW HYDRAULIC UNITS

- 18GAL/3HP/5.5GPM | 18GAL/7.5HP/6.5GPM
- 32GAL/10HP/14GPM
- 60GAL/10HP/29GPM
- 100GAL/15HP/39GPM
- 150GAL/20HP/48GPM
- 200GAL/25HP/73GPM
- 300GAL/15HP/20HP/90GPM
- 400GAL/15HP/20HP/157GPM
- 500GAL/20HP/25HP/158GPM

IN STOCK!

NEW Press Control Panel

30"x30"x10" NEMA 4 enclosure, Allen Bradley PLC, color HMI, auto/manual, dwell, bumping, cure, dual palm close, temp. controllers, fused power disconnect switch, motor starter, solid state relays, fuses, etc.

1057 IN STOCK! 22



NEW Portable Oil Filtering Cart. On wheels.

1841

IN STOCK!

23

NEW 18 Gallon, 5.5/7.5 GPM, 2500 PSI, 3/7.5 HP, dual pump, valves, filter, etc.



1758

24

NEW 60 Gallon, 10 HP, 29 GPM, 2500 PSI, valves, filter, etc.



1744

25

NEW 100 Gallon, 15 HP, 39 GPM, 2500 PSI, valves, filter, etc.



IN STOCK!

1607

26

NEW 150 Gallon, 46 GPM, 2500 PSI, 20 HP, dual pump, valves, filter, etc.



1348

27



1347

NEW 200 Gallon, 25 HP motor, dual pump, 73 GPM, 2500 PSI, valves, filter, etc.

IN STOCK!

28




NEW 300 Gallon, 15HP/143GPM, 20HP/14GPM, 2500 PSI, valves, filter, etc.

1608

IN STOCK!

29



NEW 400 Gallon, 20/15 HP, 157 GPM, 3000 PSI, valves, filter, etc.

IN STOCK!

1454

30



NEW 500 Gallon, 25HP/13GPM @ 3000 PSI & 20HP/145GPM @ 200 PSI, valves, filter, etc.

IN STOCK!

1743

31

NEW 3 1/2" EXTRUDER



IN STOCK!

NEW 3 1/2" cold feed, 12:1 L/D, power roll, direct drive, variable speed, 50HP AC motor/drive, straight head w/ pressure & temp transducer.

1773

32




NEW 18" 2 1/2 Ton @ 80 PSI, 18" blade, Two Pneumatic Cylinders, 10" Stroke.

IN STOCK!

1832

33



NEW 32"x20" 4-Way, 32" l-r x 20" f-b blades, 16" DL, 16" stroke, 10 hp hydraulics, 16 Ton.

1812

IN STOCK!

34



IN STOCK!

NEW 32" 25" stroke, 10 hp hydraulics, 15.7 Ton.

1141

35



IN STOCK!

NEW 32" Elevated, 24" DL, 24" stroke, 10 hp hydraulics, 15 Ton.

1823

36



IN STOCK!

NEW 48", 30" DL, 30" stroke 25 Ton.

1757

37

NEW GUILLOTINE CUTTERS

NEW 60 LT PREFORMER

IN STOCK

NEW 26 LT PREFORMER



IN STOCK!

NEW 60 Lt. Preformer, +/- 1% accuracy, 60 Lt capacity, weighing scale with close loop feedback, 3000 PSI, 0-400 RPM servo cutter, 1800 Lbs/hr.

1648A

38



NEW Rotating Cooling Conveyor

IN STOCK!

1648B

39



IN STOCK!

1756

NEW 26 Lt. Preformer, +/- 1% accuracy, 26 Lt capacity, weighing scale with close loop feedback, 3000 PSI, 0-400 RPM servo cutter, 900 Lbs/hr.

40

NEW 16" x 40" MILL

IN STOCK

NEW DOSING & WEIGHING SYSTEM

IN STOCK



NEW 16" x 40" Mill, roller bearings, motorized roll adjustment, tilting stock guides, 1.27:1 friction, direct drive, cutting knives, 60HP motor, ABB variable speed drive, rotary joints, stainless steel pan, auto grease lube, overhead/belly/kick safeties, unitized base, etc.

IN STOCK!

1729

41



NEW Dosing & Weighing System, plastic FIFO storage bins, bag elevator & sliding cart, bin loading hopper, rear platform, 10-station rotational carousel, control station, RF cards & reader, bar code printer, scale, computer, etc.

IN STOCK!

1647

42

NEW SILICONE CURING OVEN IN STOCK

NEW Silicone Curing Oven, infrared heat, 3' hi heat zone @ 1200° F, 13' cure zone @ 570° F, 6" conveyor, variable speed, on rollers for easy installation.



1367 **IN STOCK!**


USED CALENDERS IN STOCK

6" x 13" Farrel, 3-roll, vertical, **chromed** rolls, 5 HP variable speed motor, unitized on rollers.



1447

8" x 16" Farrel, 4-roll, inverted-L, 15 HP DC variable speed motor/drive, unitized. 45




1391

8" x 16" Farrel, 3-roll, vertical, 10 hp dc motor, SCR drive, central tube, unitized.



793 46



10" x 20" Getty, 3 rolls, inverted L, bull gear & pinion, varispeed drive, unitized. 47

396

8" x 25" Nippon, 2-roll, even gears, 5 hp variable speed motor & drive.



1898




12" x 30" Albert, 3-roll, 50 hp variable speed motor/drive, Falk reducer, friction & non-friction gears, unitized.

1897 49




16" x 40" Silicon Calendar, 3-Roll, motorized top roll, 15 hp dc motor & drive, unitized. Nice!

IN STOCK! 1902 50



16" x 42" Farrel, 4-Roll, vertical, direct connected, Lufkin reducer, 100 hp dc motor, SCR drive, unitized. 51

1176



18" x 52" Farrel, 3-roll vertical, Right Angle reducer, 50 hp motor, unitized. 52

712



24" x 66" Farrel, 3-roll, Motorized Roll Adjustment, Falk Reducer, 150 HP dc motor, wind/take-up rolls. 53

399




24" x 68" Farrel, reducer, bull gear & pinion, SCR drive, controls, motorized roll, 100 HP DC motor. 54

1206



(10) 28" Ø X 74", peripherally drilled rolls for cooling or heating, chrome or tungsten carbide finish, 18.5"/19" Ø journals. Rolls are new or rebuilt. Bearing housings available. 55

753



(4) 32" Ø X 88", peripherally drilled rolls for cooling or heating, chrome or tungsten carbide finish, 18.5"/21.5" Ø journals. Bearing housings available. 56

754

USED PRESSES IN STOCK

6" x 6" Carver, 15 Ton, two adjustable daylight, (4) electric platens.



1868

(2) 6" x 6" Carver, electric platens, 20 Ton, adjustable DL.



1319 58



(11) Presses: (1) 10"x12"/50T, (3) 10"x13"/50T, (1) 12"x12", (1) 14"x14"/100T, (5) 16"x18"/75T, 4-post, electric platens, central hydraulic unit, controls, shuttle tables, etc. 59


1852

8" x 8" TMP Vacuum, 5 Ton, 3" DL, 4" ø Ram, electric platens.



1653 60

8.25" x 8.25" Morgan, electric platens.



1609 61

(2) 12" x 12" Wabash Vacuum Presses, 100T, 3 electric platens, hydraulics, vacuum, controls.



1906 62



(6) 12" x 12" Wabash, 4" ø ram, 10" stroke, (4) 12" x 12" electric platens, 2x4" DLs, valving & wiring, Missing Hydraulics. 63


1036

12.5" x 12.5" Wabash, 20 Ton, 4" DL, 240V/3PH.



1548 64

(2) 14" x 15" French Oil, 250 Ton, 16" ø ram, 14" stroke, 9"-13" DL, Vacuum bell & side, shuttle cylinders.



1601 65

15" x 15" Wabash, 150 Ton, electric platens, 12" ø ram, 22" stroke, hydraulics.



1867 66

15" x 15" Wabash, 50 Ton, 2 x 6" DLs, 240V/3PH.



1379 67

(2) 18" x 18", 140 Ton, 21" DL, 12" ø ram, side cylinders, common hydraulics.



1735 68

18.5" x 12.5" PHI, 50 Ton, 4-post, 6" DL, cored platens, 240V/3PH.




1333 69

18" x 18" Wabash, 100 Ton, 7" stroke, 8" DL, 240V/3PH.



1550 70

20" x 22" McNeil, electric platens, 17-21" DL.



1907 71

20" x 16" Wabash Vacuum, electric platens w/cooling, 10 Ton, 16" stroke, 16" DL, Allen Bradley PLC, vacuum unit, 220V/3PH.




1463 72

24" x 18" TMP, 4-post, 3 x 6" DLs, steam platens, hydraulics, controls, 460V/3PH




1533 73

24" x 24" McKinnon, 300 Ton, 4-post, 18" ø ram, side cylinders, electric platens, 10" daylight.



1881 74

24" x 24" French Oil, 350 Ton, 20" ø ram, 5" DL, controls, shuttle table, hydraulics, electric platens, lifting hoist.



1813 75

(4) 24" x 24" Eemco, 375 Ton, 14" stroke, 16" DL, electric platens, side & shuttle cylinders, plc controls, hydraulics.



1294 76

24" x 24" Empco, 160 T, 3 x 4" DLs, 12" ram, 9" stroke, hydraulics, controls & Sterlco hot oil TCU.



1918 77

USED PRESSES

IN STOCK

<p>24"x24" Farrel, 4-post, 20" DL, 16"Ø ram, side cylinders, hydraulics & controls.</p>  <p>211</p> <p>78</p>	<p>24"x24" French Oil, 55" DL, 18"Ø ram, 32" stroke.</p>  <p>1114</p> <p>79</p>	<p>24"x24" Eemco, 350 Ton, 20"Ø ram, 25" DL, 15" stroke. Rebuilt.</p>  <p>1294A</p> <p>80</p>	<p>24"x24" Dieffenbacher, 150 Ton, 18"Ø ram, 17" stroke, side cylinders.</p>  <p>1184</p> <p>81</p>	<p>26"x32" TMP Lamination, 140 Ton, (6) electric platens w/ cooling, 12"Ø ram, 20" stroke, hydraulics & controls.</p>  <p>1916</p> <p>82</p>	<p>26"x44" Adamson, 450 Ton, 22"Ø ram, 22" stroke, 78" DL.</p>  <p>232</p> <p>83</p>	<p>(2) 30"x24" Erie, 20"Ø ram, 32"/48" stroke, 59"/76" DL. Rebuilt.</p>  <p>228A/B</p> <p>84</p>	<p>30"x30" French Oil, 450 Ton, 22"Ø ram, 20" DL, 20" stroke. Electric platens.</p>  <p>1284</p> <p>85</p>	<p>30"x30" French Oil, 22"Ø ram, 17" DL. Rebuilt.</p>  <p>1723</p> <p>86</p>
<p>30"x45" Erie, 20"Ø ram, 4-Post, 36" DL. Rebuilt.</p>  <p>1553</p> <p>87</p>	<p>32"x32" Press, 650T, 26"Ø ram, electric platens, hydraulics, controls, shuttle table.</p>  <p>1905</p> <p>88</p>	<p>32"x32" Eemco, 500 Ton, 24"Ø ram, 24" stroke, 54" DL. Rebuilt.</p>  <p>822B</p> <p>89</p>	<p>(2) 32"x32" Eemco, 500 Ton, 24"Ø ram, 26" stroke, 40"/50" DLs. Rebuilt.</p>  <p>822A</p> <p>90</p>	<p>32"x32" Adamson, 500 Ton, 24"Ø ram, 24" DL, 24" stroke. Rebuilt.</p>  <p>1285</p> <p>91</p>	<p>32"x32" Eemco, 4-post, 32" DL, 26"Ø ram, 24" stroke.</p>  <p>1283</p> <p>92</p>	<p>32"x32" Adamson, 4-Post, 600 Ton, 32" Stroke, 45" DL. Rebuilt.</p>  <p>237</p> <p>93</p>	<p>(3) 36"x24" French Oil, 650T, 26"Ø ram, 21" DL, electric platens, hydraulics & controls.</p>  <p>1908</p> <p>94</p>	
<p>36"x36" Erie, 500 Ton, 4-post, 24"Ø ram, 15" stroke, 12" DL.</p>  <p>823</p> <p>95</p>	<p>36" x 36" Bolling, 4-Post, 24"Ø ram, 22" Stroke, 37" DL.</p>  <p>1164</p> <p>96</p>	<p>36"x168" Belt Press, 1000 Ton, 7 x 13"Ø rams, 30" DL. Rebuilt.</p>  <p>1750</p> <p>97</p>	<p>38"x30" French Oil, 800 Ton, 30"Ø ram, 24" stroke, 30" DL. Rebuilt.</p>  <p>1287</p> <p>98</p>	<p>40"x20" Eemco, 250 Ton, 4-Post, 2 x 12"Ø rams, 20" stroke, 18" DL, steam platens.</p>  <p>1089</p> <p>99</p>	<p>40"x20" French Oil, 4-post, 2x12"Ø ram, 18" DL, steam platens.</p>  <p>239</p> <p>100</p>	<p>(3) 42"x42" French Oil, slab sides, 25"Ø ram, 16" stroke, 24.5" DL. Rebuilt.</p>  <p>1527</p> <p>101</p>	<p>42"x42" Fjellman, 55" DL, 900 Ton, hydraulics & controls. Rebuilding in Progress...</p>  <p>244</p> <p>102</p>	
<p>(2) 42"x42" Erie, 750/800 Ton, 4-post, 28"/30"Ø ram, 24"/28" stroke, 40"/48" DL.</p>  <p>1132</p> <p>103</p>	<p>42"x42" Baldwin, 1250 Ton, 36"Ø ram, 14" stroke, 20" DL. Rebuilt.</p>  <p>1593</p> <p>104</p>	<p>(2) 42"x42" French Oil, 1250 Ton, 36"Ø ram, 14" stroke, 19" DL. Rebuilt.</p>  <p>1470</p> <p>105</p>	<p>45"x42" Adamson, 1250 Ton, 36"Ø ram, 32" stroke, 38" DL.</p>  <p>1136</p> <p>106</p>	<p>46"x46" 4-Post, 100 Ton, 10"Ø ram, 12" stroke, 26" DL, hydraulics & controls.</p>  <p>1917</p> <p>107</p>	<p>48"x48" Birdsboro, 4-post, 18"Ø ram, 18" stroke, 42" DL. Rebuilt.</p>  <p>249</p> <p>108</p>	<p>48"x96" Eemco, 2000 Ton, 8-post, 2x32"Ø rams, 26" stroke, 29" DL. Rebuilt.</p>  <p>1152</p> <p>109</p>		
<p>(2) 50"x26" French Oil, 550 Ton, 4-post, 24"Ø ram, 26" stroke, 36" DL.</p>  <p>1639/1640</p> <p>110</p>	<p>52" x 52" French Oil, 1000 Ton, 32"Ø ram, 30" stroke, steam platens, 30" DL. Rebuilt.</p>  <p>1820</p> <p>111</p>	<p>54"x42", 1500 Ton, 40"Ø ram, 24" stroke, 32" DL. Rebuilt.</p>  <p>1208</p> <p>112</p>	<p>54"x46" Erie, 1250 Ton, 38"Ø ram, 30" stroke, 36" DL. NEW side cylinders, NEW hydraulics, NEW PLC controls. Rebuilt.</p>  <p>250</p> <p>113</p>	<p>56" x 60" Adamson, 2,250 Ton, 4-Post, 48"Ø ram. Rebuilding in progress...</p>  <p>1642</p> <p>114</p>	<p>60"x24" Press, 100 Ton, 2 x 7"Ø rams, (3) steam platens, 2 x 6" DLs, hydraulics & controls.</p>  <p>1892</p> <p>115</p>			
<p>78"x40" French Oil, 1130 Ton, 4-post, 2 x 24"Ø ram, 26" stroke, 40" DL.</p>  <p>1124</p> <p>116</p>	<p>78"x360" Belt Press, 28 x 10"Ø rams, steam platens, 11" DL, 28 posts, etc.</p>  <p>1641</p> <p>117</p>	<p>84"x44" Empco, 24"Ø cylinder, 16" stroke, electric platens, 21" DL, hydraulics & PLC controls.</p>  <p>1847</p> <p>118</p>	<p>98"½"x40"½", 180 Ton, 8x 5"Ø cylinders, 24" stroke, (6) hot oil platens, 5x4 ½" DLs, hydraulics & controls, TCU.</p>  <p>1835</p> <p>119</p>	<p>(2) 100"x40" Erie, 1100 Ton, 2 x 24"Ø cylinders, 18" stroke, 18"-20" DL w/o platens. Rebuilding in progress...</p>  <p>1874/1875</p> <p>120</p>	<p>104"x54" Columbia, 600 Ton, 4-post, 2 x 18"Ø rams, 36" stroke, 9 x 5" DLs, (10) hot oil platens.</p>  <p>1816</p> <p>121</p>	<p>110"x50" Kalmag, 500 Ton, 4 x 10.5"Ø rams, 26" DL. Hydraulics & controls.</p>  <p>1625</p> <p>122</p>		

USED INJECTION PRESSES

IN STOCK

<p>(3) Gluco 20"x18", vertical injectors, 20" x 18" electric platens, hydraulics, 3 available.</p> <p>1792/1793/1794</p> <p>123</p>	<p>1851 220Ton B53K REP, 1000cc, 20"x25" electric platens, vertical, A/B controls. Still installed.</p> <p>124</p>	<p>70 Ton Rutil, 300/70MP. 300 cc, 2 stations, 12"x12" electric platens, vertical, 220V/3PH.</p> <p>308</p> <p>125</p>	<p>18" x 22" Lewis, vertical, 18"x22" electric platens. 240V/3PH.</p> <p>1725</p> <p>126</p>	<p>48 Ton Rutil Silicone, 400 cm3, vertical, 480V/3PH.</p> <p>1119</p> <p>127</p>	<p>Predator/MTI, 4-station, vertical, 8" x 8" platens, 480V/3PH.</p> <p>1524</p> <p>128</p>
<p>5 Ton Toshiba LSR, horizontal, 9"x9" platens, 0.21oz shot.</p> <p>1615</p> <p>129</p>	<p>40 Ton Battenfeld, silicone LSR, 60cc, horizontal, 19.25"x12.5" electric platens. 230V/3PH.</p> <p>1728</p> <p>130</p>	<p>80 Ton Engel, ES240/240/8020, horizontal, double shot (3.8/5.2 oz), electric platens. 440V/3PH.</p> <p>1246</p> <p>131</p>	<p>150 Ton MIR, horizontal. 440V/3PH. Includes TCU.</p> <p>1291</p> <p>132</p>	<p>180 Ton Desma, D968.160F, vertical, 220 cc, 15"x15" platens. 460V/3PH. Four available.</p> <p>1321A</p> <p>133</p>	<p>1L/180T LWB Steini, VRE 1600/1000, 1000 cc, 180 Ton, vertical, 20" x 20" electric platens. 480V/3PH. Used for exhibition & demo only.</p> <p>1840</p> <p>138</p>
<p>LWB Steini, # GIP CE-O, 100cc, 22 Ton, vertical, 12"x12" platens. 480V/3PH.</p> <p>1405</p> <p>134</p>	<p>LWB Steini, # VCE-T, 160 cc, 27 Ton, vertical, 12" x 12" platens. 480V/3PH.</p> <p>1585</p> <p>135</p>	<p>250 Ton Desma, D968.250T, vertical, 1000 cc, 26.5" x 32" platens. 460V/3PH.</p> <p>1761</p> <p>136</p>	<p>(2) 700 Ton Rutil, vertical, electric platens, hydraulics & controls, 480V/3PH.</p> <p>1523A/C</p> <p>137</p>	<p>(3) 180 Ton Desma, D968.160F, 220 cc, 15"x15" platens, 460V, 3PH. Fully automated for rubber/metal. Three available.</p> <p>1774</p> <p>141</p>	<p>1321B/C/D</p> <p>142</p>
<p>100 Ton REP, horizontal, 500cc, 14"x14" electric platens, 480V/3PH.</p> <p>1778</p> <p>139</p>	<p>170 Ton Desma, D968.160-ZO, vertical, 220 cc, 18"x20" platens. 460V/3PH. Fully automated.</p> <p>1288</p> <p>140</p>	<p>350 Ton Rutil, vertical, 4 Lt. 25"x33" electric platens, 480V, 3PH.</p> <p>1774</p> <p>141</p>	<p>1321B/C/D</p> <p>142</p>	<p>1529</p> <p>143</p>	<p>1849</p> <p>148</p>

USED INTERNAL MIXERS

IN STOCK

<p>1.5 Lt Farrel Banbury® "BR", centralized lube 7.5HP/220/440V variable speed motor/drive.</p> <p>1529</p> <p>143</p>	<p>1.5 Lt. Farrel Banbury® "BR", 25HP motor, 4-speed, unitized, 220V/3PH.</p> <p>1603</p> <p>144</p>	<p>1.5 Lt. Stewart Boiling, 30HP motor, unitized, 460V/3PH.</p> <p>1763</p> <p>145</p>	<p>"00M" Kobelco, 1.66 Lt, 2-wing, 30HP AC motor, variable speed, controls, air operated door w/ safety guards.</p> <p>1818</p> <p>146</p>	<p>3 Lt. Farrel Banbury® "OO", batch & temp. gauges, unitized.</p> <p>1755</p> <p>147</p>	<p>3 Lt Farrel Banbury® "OOC", 40HP motor, variable speed, controls, lube, unitized.</p> <p>1849</p> <p>148</p>
<p>3 Lt Farrel Banbury® "OO", 30HP/15HP motor, 2-speed, lube, unitized.</p> <p>887</p> <p>149</p>	<p>16.5 Lt. Farrel #1A Banbury®, slide door, 100 HP motor, Reliance variable speed drive, direct drive, auto lube, unitized, excellent condition.</p> <p>1865</p> <p>150</p>	<p>16.5 Lt. Farrel #1 Banbury®, Swingside door, 125/62.5 HP motor, Reducer, Direct drive, Auto lube, Unitized.</p> <p>1777</p> <p>151</p>	<p>16.5 Lt. Farrel #1-D Banbury®, drop door, direct drive, 200 HP DC Motor/ Drive, operator platform.</p> <p>1762</p> <p>152</p>	<p>70 Lt Guix-745 Banbury®, drop door, 250/125 HP motor, direct drive, reducer, controls.</p> <p>1404</p> <p>153</p>	<p>1529</p> <p>143</p>

USED AUTOCLAVES

IN STOCK

<p>12"ø x 32", AAA Welding, 12"ø x 36" L, NB # 1064, 100PSI/350F, quick opening door, hydraulic cylinder & valving.</p> <p>1839</p> <p>154</p>	<p>36" Ø x 120" L WSF, 125 PSI, NB # 14139, quick locking/opening door.</p> <p>1105</p> <p>155</p>	<p>36" Ø x 55" L United-McGill, 110 PSI, NB # 184, Quick open door, boiler, unitized.</p> <p>1549</p> <p>156</p>	<p>48" Ø x 204" L WSF, 85 PSI, NB # 9475, quick open door.</p> <p>1481</p> <p>158</p>	<p>48" Ø x 240" L East Fabricators, 150 PSI, NB # 744, Quick open door.</p> <p>1368</p> <p>159</p>
<p>48" Ø x 168" L WSF, 125 PSI, NB # 15735, quick open door.</p> <p>1106</p> <p>157</p>	<p>1839</p> <p>154</p>	<p>1549</p> <p>156</p>	<p>1481</p> <p>158</p>	<p>1368</p> <p>159</p>

USED EXTRUDERS & PREFORMERS IN STOCK

Barwell Preformer, HT2000, variable speed conveyor, multiple speed cutter, front & rear loading, Spare parts.



1540 160

1" Royle Extruder/Pelletizer, cold feed, 16:1 L/D, 5 HP variable speed motor/drive, on rollers.



1736 161

2" Davis Std, 12:1 L/D, cold feed, power roll feed, 5 hp motor & variable speed drive, unitized.



1888 162

2" NRM CoExtrusion Line, 12:1 L/D, cold feed, variable speed, TCU, dual cross heads, conveyor take-up, cooling drum & winding units.



371 163

2" Royle, cold feed, 12:1 L/D, 7.5 HP variable speed, 440V/3PH, reducer, straight head, unitized.



1417 164

2" Royle, cold feed, 11:1 L/D, 7.5 HP variable speed, reducer, straight head, unitized.




1765 165

2" Coextrusion Line, cold feed, 10 hp dc drive, double cross extrusion. Conveyor take-up, Roller Die, Multi-drum cooling unit, Budzar 3 zone TCU, etc. Complete line.



1667 166

(2) 2 1/2" Extruders, rubber or silicone, cold feed, 12:1 L/D, power roll, 50HP AC motor & VS drive, straight head.




1896 167

2 1/2" Remco, cold feed, 12:1 L/D, 30 HP DC motor, straight head, SCR drive, controls.



1570 168

2 1/2" Remco, 12:1 L/D, cold feed, Lufkin reducer, 30 hp motor & controls, swing/clamp head, unitized. Missing VFD.



1915 169

2 1/2" Davis Standard, 12:1 L/D, power roll feed, straight swing head, 30HP dc motor & drive, controls.



1863 170

2.5" NRM, cold feed, 12:1 L/D, straight head, 40 HP DC motor.



1828 171

2 1/2" Rubber/Silicone, Cold feed, 16:1 L/D, power roll feed, swing straight bolstered head, 30HP AC motor, Belt Driven, Unitized, Missing vs drive.




1893 172



3 1/4" Farrel, 12:1 L/D, cold feed, Reliance 20 hp dc motor/drive, electric heated barrel, straight head, controls, unitized.

1178 173



3 1/2" Troester Extrusion & Curing Line, power roll feed, 16:1 L/D, 60 hp dc motor & SCR drive, 20' microwave oven followed by 90' conventional oven.

1887 174


3 1/2" Royle, cold feed, 13:1 L/D, belt driven 60HP/460V/AC motor, controls w/ variable speed drive, quick swing head.



1836 175



1783/1784 176



3 1/2" Cold Feed, 17:1 L/D, vacuum vented, straight swing head, TCU.

1402 177



(2) 3 1/2" Mitsuba, 17:1 L/D, cold feed, power roll feed, unitized, 75HP/460VAC motor. Missing drive & controls. Mfd. 1995. Two available.

1879 178




3 1/2" Krupp, 20:1 L/D, power roll feed, vacuum vented, straight swing head, TCUs, unitized. Motor & controls not included.

1227 179




3 1/2" NRM, cold feed, 16:1 L/D, power roll, 50 hp motor, direct driven, straight head, variable speed drive, unitized.

1764 180




3 1/2" Royle, cold feed, 20:1 L/D, power roll, quick clamp head w/ heating, variable speed motor/drive.

806 181



4 1/2" Royle, cold feed, 10:1 L/D, 50 hp dc motor, two piece base.

688 182



4 1/2" Royle, 8:1 L/D, power roll feed, 100 hp dc motor, belt driven, #4 reducer, unitized.

1139 183



4 1/2" Erie, cold feed, 15:1 L/D, rotary joint, conventional feed, straight head, unitized. No motor or electricals.

1485 184




4 1/2" Royle, cold feed, 15:1 L/D, power roll feed, 60HP DC motor & drive, quick swing clamp head.

1837 185




4 1/2" Royle, cold feed, 15:1 L/D, power roll feed, 100 hp dc motor, quick clamp straight head.

1416 186



4 1/2" Royle, cold feed, 12:1 L/D, power roll feed, 50 HP motor, NEW AC inverter drive, NEW operator station. Unitized, Rebuilt.

1116 187



6" Davis Standard, 12:1 L/D, cold feed, power roll feed, straight quick clamp head, spare screw. Mint Condition.

1830 188



6" Davis Standard, silicone extruder, 10:1 L/D, cold feed, power roll, straight head, 60 hp dc motor, belt drive.

1199 190

6" NRM Silicone, 12:1 L/D, cold feed, 12"x12" feed throat, swing straight head. 100HP dc motor & drive.



895 191



8" Erie, 5:1 L/D, 9"x12" feed throat, swing straight head. 200HP dc motor, pelletizing head w/ 3/4 hp motor/drive

1845 192

10" Black & Clawson, cold feed, 10:1 L/D, 13" x 13" feed opening, 200HP/460V motor. Unitized.



925 193

12" Farrel, 5:1 L/D, 16" x 21" feed opening, 300 HP dc motor, direct drive, 70" sheeter head, unitized.




























1175 194

20" x 46" Farrel Roller Die, 20" x 24" extruder, 900 hp dc motor & Lufkin Reducer, 20"x46" 2-roll calender w/motorized rolls, hydraulics & controls. 460V/3PH.



998 195

USED MILLS IN STOCK

 <p>1445 3" x 7" Farrel, chromed rolls, two 1 1/2 HP motors/drives, variable speed, etc. 196</p>	 <p>1375 3" x 8" Reliable, chromed rolls, knee & overhead safeties, 1 1/2 hp variable speed drive. 197</p>	 <p>1357 3" x 8" Reliable, chromed rolls, safeties, dual variable speed drives, controls. 198</p>	 <p>1689 3" x 8" Thropp, Cabinet style, self-contained, rotary joints, knee safeties. 199</p>	 <p>1786 3" x 8" Reliable, self-contained, overhead & knee safeties. 1.5 hp motor/drive. 200</p>	 <p>1376 3" x 8" Thropp, knee & overhead safeties. 201</p>	 <p>716 6" x 12" Eemco, adjustable/ split guides, overhead safeties, variable speed. 202</p>
 <p>717 6" x 12" Farrel, variable speed drive, split guides, knee safeties. 203</p>	 <p>647 6" x 13" Reliable, controls, 5 HP motor. 204</p>	 <p>1453 6" x 13" Thropp, 5 HP motor/drive, safeties. 205</p>	 <p>1411 6" x 12" Reliable, 7.5 HP motor, rotary joints, adjustable/split stock guides. 206</p>	 <p>792 6" x 13" Bolling, dual variable speed drives, flip guides, overhead & knee safeties. 207</p>	 <p>1850 6" x 13" Farrel, chromed rolls, safeties, two variable speed drives. 208</p>	 <p>1768/1580 (2) 6" x 13" Farrel Mills, cabinet style, bull gear & pinion, motor, starter, etc. 209</p>
 <p>646 6" x 13" Farrel, chromed rolls, controls, knee safeties. 210</p>	 <p>1749 6" x 13" Farrel, chromed rolls, dual variable speed drives, motors. 211</p>	 <p>648 6" x 13" Eemco, chromed rolls. 212</p>	 <p>1578 8" x 16" Farrel, dual variable speed drives, safeties. 213</p>	 <p>1810 8" x 16" Bolling, heavy duty, chromed rolls, chain driven. 214</p>	 <p>1754 8" x 16" Bolling, 15 HP motor. Missing electricals & safeties. 215</p>	 <p>1769 14" x 30" Farrel, two piece base, stock guides, 75 HP motor, 460V/3PH. 216</p>
 <p>1437A/B/C (3) 20" x 24" x 32" Farrel Cracker, direct drive, 28.6:1 reducer, two piece base, Motor, starter, safeties not included. 217</p>	 <p>1439/1448 20" x 24" x 36" & 20" x 24" x 40" Bolling Cracker, direct connected, 2 piece base. Motor, starter, safeties not included. 218</p>	 <p>1737 16" x 42" Kobe, 60HP/460V motor, direct drive, 1.27:1 Friction, double reduction reducer, unitized. 219</p>	 <p>1112 26" x 84" Bolling, direct drive, 84.2:1 reducer, two piece base, 250HP/460V motor, starter, controls. 220</p>	 <p>1197 26" x 80" Farrel, direct drive, 51.58:1 reducer, two piece base, motorized rolls, controls, safeties. Missing motor & starter. Mint condition. 221</p>		

USED LABORATORY & MISCELLANEOUS IN STOCK

 <p>1853 Alpha RPA 2000, Rubber Process Analyzer. 222</p>	 <p>1872 Alpha ODR 2000 Rheometer. 223</p>	 <p>1780 Alpha MDR 2000 Rheometer. 224</p>	 <p>1856 Alpha ODR 2000 Rheometer. 225</p>	 <p>1822 Alpha ODR 2000 Rheometer. 226</p>	 <p>1854 Alpha Mooney MV 2000 Viscometer. 227</p>	 <p>1592 Alpha T2000 Tensile Tester, load cell, grips, extensometer, etc. 228</p>	 <p>1886 Tech Pro Tensitec Tensile Tester. 229</p>	 <p>1440/1589/1591 (3) Monsanto T-10 Tensometers, load cell, extensometer, grips, manual. 230</p>
 <p>1377 Lloyd Tensile Tester, 2500 N load cell, 1000 mm travel, grips, printer, manual. 231</p>	 <p>1547/1878/1877/1876 TechPro rheoTECH Rheometer # TPD-966, TechPro rheoTECH Rheometer # TPD-1233, TechPro rheoTECH+ Rheometer # TPD-2685 & TechPro ViscTECH+ Viscometer # TPD-3365. 232</p>	 <p>1884 Monsanto Rheometer R-100, ThermoTech temp controllers, computer, etc. 233</p>	 <p>1885 Monsanto Mooney Viscometer, ThermoTech temp controllers, computer. 234</p>	 <p>1882 Domnick Hunter Hyperchill Water Chiller, 87PSIG/86F (MAX), 460V/3PH. 235</p>	 <p>1490-1495 (5) Hot Pack Blue M Ovens, 200°C, 1/4 HP, 208V/20A. 236</p>	 <p>1583 Blue M Oven, 208V/3PH, 600°F, 38"x20"x25". 238</p>	 <p>1497 (6) Fisher/Precision Scientific Vacuum Ovens, 120V/1PH. 237</p>	 <p>1298 (10) 12" x 96" Dornier Belt Conveyors, Series 2100 & 2200, rubber belt, 1/4 HP drive. 440V/3PH. 246</p>
 <p>1889/1890 (2) Grieve Electric Walk-In Ovens, 650 F, 54"x54"x72"/78" H. 239</p>	 <p>1910 36" x 93" L Cooling Drum Unit, complete w/ motor & controls, on wheels. 240</p>	 <p>1899 26" Spadone Guillotine Cutter, 12 Ton, 3 1/2" Ø cylinder, 24" stroke, guarded rollers, feed rollers. Missing blade, hydraulics & controls. 241</p>	 <p>1914 30" Goodman Guillotine Cutter, 20 Ton, 30" blade, 5" Ø cylinder, 23" stroke, guarded rollers, feed rollers. hydraulics & controls. 242</p>	 <p>461 Wardwell Braider, double deck, 24 spindles/cutter, 23" Ø cylinder, 23" stroke, guarded rollers, feed rollers. hydraulics & controls. 243</p>	 <p>1801 Versa 50 High Speed Flywheel Cutter, max. 2" size, 1 hp servo motor/drive. 244</p>	 <p>736 60" Kampf Slitter/Rewinder, rewinding unit. Lots of tooling & spare parts. 245</p>		